



COLLECTION AUTOMNE

AVEC CE NOUVEAU FORMAT, NOUS SOUHAITONS VOUS OFFRIR NOTRE VISION DE L'UNIVERS PAROPLASTIC : DE LA DENTISTERIE, MAIS PAS QUE. CHAQUE SAISON, VOUS AUREZ LE DROIT À CE BULLETIN ÉCLECTIQUE, CARNET D'ENVIE ET DE CULTURE. IL MÉLANGERA CAS CLINIQUES, BILLETS D'HUMEUR, TOUR D'HORIZON DE L'ACTUALITÉ DENTAIRE, RECETTES DE CUISINE ET AUTRES CHRONIQUES ARTISTIQUES. EN ESPÉRANT QUE VOUS PRENDREZ DU PLAISIR, ET DES IDÉES !

Le sport

par Julien Molia, dentiste et surfeur

“ Le surf représente pour moi un exutoire qui me permet de déconnecter, de savourer l'instant présent. Même si c'est un sport individuel, il est souvent un moment de partage entre amis. La recherche de la performance, de la meilleure ligne, de la vague la plus grosse ou seulement de la plus jolie guident ma passion. ”



Le voyage

GUÉTHARY

une plage *Parlementia*
 un rendez-vous incontournable *le Madrid*
 un restaurant *Hétéroclito*
 un coucher de soleil *Ilunabar*
 un dernier *le Café du Fronton*
 un insolite *l'épicerie basquo-japonaise Yaoya*

Le cas clinique

par Benjamin Cortasse



_VOLUME

Pour garantir la bonne intégration et la pérennité de la restauration prothétique, le volume de tissu doit être recréé. Quel choix ; tissu mou, os, ou les deux ?

Après élévation d'un lambeau d'épaisseur partielle, un greffon de lamina propria, replié sur lui-même avec un design adapté, est immobilisé.

Simple et efficace !

CONGRÈS
INTERNATIONAL
ADF
22-26 NOVEMBRE
2022



Le congrès

ADF 2022

Vos rendez-vous Paroplastic

PAROPLASTIC x ZUCHELLI

23/11

TP Chirurgie plastique parodontale

24/11

GRAND RENDEZ-VOUS ANNUEL,
L'ADF 2022 SE TIENDRA AU
TRADITIONNEL PALAIS DES
CONGRÈS DU 22 AU 26 NOVEMBRE.

ADF 2022

La table

Les tables de l'ADF

BRUNCHER

INAVOUÉ

4 IMPASSE GOMBOUST

DÉJEÛNER

L'ENTRECÔTE

271 BOULEVARD PEREIRE

DÎNER

CHEZ JUSTINE

96 RUE OBERKAMPF

SORTIR

RASPOUTINE

58 RUE DE
BASSANO



L'évènement culturel

La rentrée littéraire

TRADITION FRANÇAISE UNIQUE AU MONDE, NOTRE FAMEUSE RENTRÉE LITTÉRAIRE 2022 NOUS PROPOSE QUELQUES 490 NOUVEAUX ROMANS. PARMI EUX, NOUS RETIENDRONS "CHIEN 51", EXCELLENT POLAR FUTURISTE DE **LAURENT GAUDÉ** (GONCOURT 2004 POUR "LE SOLEIL DES SCORTA") ET "LES VERTUEUX" DE **YASMINA KHADRA**, DÉLICIEUSE ODYSSEE D'UN BERGER RESCAPÉ DE LA PREMIÈRE GUERRE MONDIALE.

L'article

par Lorenzo Tavelli et col.

Randomized Controlled Trial > Clin Oral Investig. 2019 Jan;23(1):459-468.

doi: 10.1007/s00784-018-2455-5. Epub 2018 Apr 30.

Pain perception following epithelialized gingival graft harvesting: a randomized clinical trial

Lorenzo Tavelli¹, Andrea Ravidà¹, Muhammad H A Saleh¹, Bertosz Maska¹, Fernando Suárez-López Del Amo², Giulio Rasperini³, Hom-Lay Wang¹

Affiliations + expand

PMID: 29713890 DOI: 10.1007/s00784-018-2455-5

Abstract

Objectives: The aim of this study was to compare the effects of a hemostatic collagen sponge and a collagen sponge sealed with a bio-adhesive material on the palatal donor sites with the purpose of minimizing postoperative pain after epithelialized gingival graft (EGG) harvesting.

Material and methods: The present study consisted of 44 EGGs harvested in 44 patients. In the control group, a hemostatic collagen sponge was applied over the palatal wound, while the test group was treated with additional cyanoacrylate. Patients were observed for 14 days, evaluating the pain level by using the visual analogic scale. The consumption of analgesic during the postoperative period, the willingness for retreatment and the characteristic of the graft were also

Abstract

Objectives: The aim of this study was to compare the effects of a hemostatic collagen sponge and a collagen sponge sealed with a bio-adhesive material on the palatal donor sites with the purpose of minimizing postoperative pain after epithelialized gingival graft (EGG) harvesting.

Material and methods: The present study consisted of 44 EGGs harvested in 44 patients. In the control group, a hemostatic collagen sponge was applied over the palatal wound, while the test group was treated with additional cyanoacrylate. Patients were observed for 14 days, evaluating the pain level by using the visual analogic scale. The consumption of analgesic during the postoperative period, the willingness for retreatment and the characteristic of the graft were also analyzed.

Results: Statistically significant differences in pain perception were found between test and control groups in each of the studied days ($p < 0.01$). Analgesic consumption was lower in the test group ($p < 0.01$). Graft width < 14 mm was found to be associated with lower discomfort ($p < 0.01$).

Conclusions: Adding an additional layer of cyanoacrylate over a hemostatic collagen sponge on the palatal wound following EGG harvesting was found to be successful in minimizing the postoperative discomfort and the need for analgesics.

Clinical relevance: Postoperative pain after palatal tissue harvesting can be successfully minimized if the donor site open wound is protected with an external layer of cyanoacrylate over a collagen sponge.

Keywords: Autografts; Free soft tissue graft; Pain management; Wound healing.

